



Image

3762

Office Action Summary

Applicant(s)	CHIANG ET AL.
Application No.	045,379
Examiner	Kristen L Drosch
Art Unit	3762

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 1/2/03 (power of atty).
- 2a) ☐ This action is FINAL.
- 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 2 is/are pending in the application.
 - 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 2 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

RECEIVED
APR 22 2004
TECHNOLOGY CENTER R3700

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 15 January 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
 - Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 - Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some * c) ☒ None of:
 - 1. ☒ Certified copies of the priority documents have been received.
 - 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 - 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
 - * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Priority

1. Acknowledgment is made of applicant's claim for priority under 35 U.S.C. 119(a)-(d) based upon an application filed in Taiwan on 12/13/00. A claim for priority under 35 U.S.C. 119(a)-(d) cannot be based on said application, since the United States application was filed more than twelve months thereafter. Acknowledgment is made of applicant's claim for foreign priority based on an application filed in Taiwan on 12/13/00. It is noted, however, that applicant has not filed a certified copy of the Taiwan application as required by 35 U.S.C. 119(b).

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 1-2 are rejected under 35 U.S.C. 102(b) as being anticipated by Bregman et al. (4,080,958).

With respect to claim 1, Bregman et al. shows a blood pumping device comprising: a receptacle (21) including a chamber formed therein, and including a non-valved inlet opening (2, 3, 9), and including a non-valved outlet opening (2, 3, 9), said receptacle including a surface having a peripheral portion and having a port (5, 29) provided therein, a diaphragm (1) received in said chamber of said receptacle and including a space (6) formed therein and including a peripheral portion coupled to said peripheral portion of said surface of said receptacle, and

Art Unit: 3762

means (8) for pumping said diaphragm to draw the blood into said chamber of said receptacle and to pump the blood in said chamber of said receptacle out of said inlet opening and said outlet opening of said receptacle (Fig. 1, 7; Col. 4, lines 28-43; Col. 8, lines 27-55).

Regarding claim 2, Bregman et al. shows the pumping means (8) includes a pump coupled to the port (5, 29) of the receptacle.

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kristen L Droesch whose telephone number is 703-605-1185. The examiner can normally be reached on M-F, 10:00 am - 6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angie Sykes can be reached on 703-308-5181. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



kld



ANGELA D. SYKES
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER

Notic of References Cited

Application/Control No.

10/045,379

Applicant(s)/Patent Under
Reexamination
CHIANG ET AL.

Examiner

Kristen L Droesch

Art Unit

3762

Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
	A	US-4,080,958	03-1978	Bregman et al	600/16
	B	US-			
	C	US-			
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	V	
	W	
	X	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

US PATENT & TRADEMARK OFFICE

PATENT APPLICATION FULL TEXT AND IMAGE DATABASE



(1 of 1)

United States Patent Application**20020072698****Kind Code****A1****Chiang, Jih Chung ; et al.****June 13, 2002**

Pumping device for helping severe failing of left ventricle or heart

Abstract

A blood pumping device includes a receptacle for receiving blood and having a non-valved inlet and outlet openings coupled to an aorta and the femoral artery. The receptacle includes a surface having a peripheral portion coupled to a peripheral portion of a diaphragm, and having a port coupled to a pump. The pump may shrink the diaphragm to draw the blood into the receptacle and may expand the diaphragm to pump the blood in the chamber of the receptacle out of the inlet opening and the outlet opening of the receptacle and into the aorta and the femoral artery of the patient.

Inventors: **Chiang, Jih Chung;** (*Taichung, TW*) ; **Tung, Chin Sheng;** (*Tainan, TW*) ; **Cheng, Kevin Kuo Tsai;** (*Tainan, TW*) ; **Chen, Shih Hsiung;** (*Tainan, TW*) ; **Kao, Tzu Min;** (*Yun Lin Hsien, TW*) ; **Wei, Jeng;** (*Taipei, TW*) ; **Lu, Pong Jeu;** (*Tainan, TW*)

Correspondence Name and Address:

CHARLES E. BAXLEY
5th Floor
59 John Street
New York
NY
10038
US

Serial No.: **045379****Series Code:** **10****Filed:** **January 15, 2002****U.S. Current Class:****U.S. Class at Publication:****Intern'l Class:**

*Per my voicemail,
 Sent to ~~Mr~~ O'Melveny &
 Myers in error.
 This is not one of
 our applications.
 E.C. Canett, DMM
 (949) 737-2968*

604/6.11; 604/9; 623/3.16; 623/3.26

604/6.11; 623/3.16; 623/3.26; 604/9

A61M 037/00; A61M 005/00; A61M 001/10

Foreign Application Data




UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/045,379	01/15/2002	Jih Chung Chiang	12684 B	2354

34263 7590 04/07/2004

O'MELVENY & MEYERS
114 PACIFICA, SUITE 100
IRVINE, CA 92618



EXAMINER

DROESCH, KRISTEN L

ART UNIT PAPER NUMBER

3762

DATE MAILED: 04/07/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

~~O'Melveny & Myers LLP~~

~~File: _____~~
~~Action Items: _____~~
~~Date Due: _____~~
~~Critical Date: _____~~
~~Attorney Path: _____~~
~~Docketed By: _____~~
~~Verified By: _____~~

NOTICE OF OFFICE PLAN TO CEASE SUPPLYING COPIES OF CITED U.S. PATENT REFERENCES WITH OFFICE ACTIONS, AND PILOT TO EVALUATE THE ALTERNATIVE OF PROVIDING ELECTRONIC ACCESS TO SUCH U.S. PATENT REFERENCES

Summary

The United States Patent and Trademark Office (Office or USPTO) plans in the near future to: (1) cease mailing copies of U.S. patents and U.S. patent application publications (US patent references) with Office actions except for citations made during the international stage of an international application under the Patent Cooperation Treaty and those made during reexamination proceedings; and (2) provide electronic access to, with convenient downloading capability of, the US patent references cited in an Office action via the Office's private Patent Application Information Retrieval (PAIR) system which has a new feature called "E-Patent Reference." Before ceasing to provide copies of U.S. patent references with Office actions, the Office shall test the feasibility of the E-Patent Reference feature by conducting a two-month pilot project starting with Office actions mailed after December 1, 2003. The Office shall evaluate the pilot project and publish the results in a notice which will be posted on the Office's web site (www.USPTO.gov) and in the Patent Official Gazette (O.G.). In order to use the new E-Patent Reference feature during the pilot period, or when the Office ceases to send copies of U.S. patent references with Office actions, the applicant must: (1) obtain a digital certificate from the Office; (2) obtain a customer number from the Office, and (3) properly associate applications with the customer number. The pilot project does not involve or affect the current Office practice of supplying paper copies of foreign patent documents and non-patent literature with Office actions. Paper copies of references will continue to be provided by the USPTO for searches and written opinions prepared by the USPTO for international applications during the international stage and for reexamination proceedings.

Description of Pilot Project to Provide Electronic Access to Cited U.S. Patent References

On December 1, 2003, the Office will make available a new feature, E-Patent Reference, in the Office's private PAIR system, to allow more convenient downloading of U.S. patents and U.S. patent application publications. The new feature will allow an authorized user of private PAIR to download some or all of the U.S. patents and U.S. patent application publications cited by an examiner on form PTO-892 in Office actions, as well as U.S. patents and U.S. patent application publications submitted by applicants on form PTO/SB08 (1449) as part of an IDS. The retrieval of some or all of the documents may be performed in one downloading step with the documents encoded as Adobe Portable Document format (.pdf) files, which is an improvement over the current page-by-page retrieval capability from other USPTO systems.

BEST AVAILABLE COPY

Steps to Use the New E-Patent Reference Feature During the Pilot Project and Thereafter

Access to private PAIR is required to utilize E-Patent Reference. If you don't already have access to private PAIR, the Office urges practitioners, and applicants not represented by a practitioner, to take advantage of the transition period to obtain a no-cost USPTO Public Key Infrastructure (PKI) digital certificate, obtain a USPTO customer number, associate all of their pending and new application filings with their customer number, install no-cost software (supplied by the Office) required to access private PAIR and E-Patent Reference feature, and make appropriate arrangements for Internet access. The full instructions for obtaining a PKI digital certificate are available at the Office's Electronic Business Center (EBC) web page at: <http://www.uspto.gov/ebc/downloads.html>. Note that a notarized signature will be required to obtain a digital certificate.

To get a Customer Number, download and complete the Customer Number Request form, PTO-SB125, at: <http://www.uspto.gov/web/forms/sb0125.pdf>. The completed form can then be transmitted by facsimile to the Electronic Business Center at (703) 308-2840, or mailed to the address on the form. If you are a registered attorney or patent agent, then your registration number must be associated with your customer number. This is accomplished by adding your registration number to the Customer Number Request form. A description of associating a customer number with an application is described at the EBC web page at: http://www.uspto.gov/ebc/registration_pair.html.

The E-Patent Reference feature will be accessed using a new button on the private PAIR screen. Ordinarily all of the cited U.S. patent and U.S. patent application publication references will be available over the Internet using the Office's new E-Patent Reference feature. The size of the references to be downloaded will be displayed by E-Patent Reference so the download time can be estimated. Applicants and registered practitioners can select to download all of the references or any combination of cited references. Selected references will be downloaded as complete documents as Adobe Portable Document Format (.pdf) files. For a limited period of time, the USPTO will include a copy of this notice with Office actions to encourage applicants to use this new feature and, if needed, to take the steps outlined above in order to be able to utilize this new feature during the pilot and thereafter.

During the two-month pilot, the Office will evaluate the stability and capacity of the E-Patent Reference feature to reliably provide electronic access to cited U.S. patent and U.S. patent application publication references. While copies of U.S. patent and U.S. patent application publication references cited by examiners will continue to be mailed with Office actions during the pilot project, applicants are encouraged to use the private PAIR and the E-Patent Reference feature to electronically access and download cited U.S. patent and U.S. patent application publication references so the Office will be able to objectively evaluate its performance. The public is encouraged to submit comments to the Office on the usability and performance of the E-Patent Reference feature during the pilot. Further, during the pilot period registered practitioners, and applicants not represented by a practitioner, are encouraged to experiment with the feature, develop a proficiency in using the feature, and establish new internal processes for using the new access to the cited U.S. patents and U.S. patent application publications to prepare for the anticipated cessation of the current Office practice of supplying copies of such cited

BEST AVAILABLE COPY

references. The Office plans to continue to provide access to the E-Patent Reference feature during its evaluation of the pilot.

Comments

Comments concerning the E-Patent Reference feature should be in writing and directed to the Electronic Business Center (EBC) at the USPTO by electronic mail at eReference@uspto.gov or by facsimile to (703) 308-2840. Comments will be posted and made available for public inspection. To ensure that comments are considered in the evaluation of the pilot project, comments should be submitted in writing by January 15, 2004.

Comments with respect to specific applications should be sent to the Technology Centers' customer service centers. Comments concerning digital certificates, customer numbers, and associating customer numbers with applications should be sent to the Electronic Business Center (EBC) at the USPTO by facsimile at (703) 308-2840 or by e-mail at EBC@uspto.gov.


Implementation after Pilot

After the pilot, its evaluation, and publication of a subsequent notice as indicated above, the Office expects to implement its plan to cease mailing paper copies of U.S. patent references cited during examination of non provisional applications on or after February 2, 2004; although copies of cited foreign patent documents, as well as non-patent literature, will still be mailed to the applicant until such time as substantially all applications have been scanned into IFW.

For Further Information Contact

Technical information on the operation of the IFW system can be found on the USPTO website at <http://www.uspto.gov/web/patents/ifw/index.html>. Comments concerning the E-Patent Reference feature and questions concerning the operation of the PAIR system should be directed to the EBC at the USPTO at (866) 217-9197. The EBC may also be contacted by facsimile at (703) 308-2840 or by e-mail at EBC@uspto.gov.

Date. 12/1/03



Nicholas P. Godici
Commissioner for Patents

BEST AVAILABLE COPY